

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in JMR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	31	a	*	20	a	5	28	a
Black, not Hispanic	9	69	a	*	80	a	13	72	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	13	100	a	5	100	a	18	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR, by sex and age at diagnosis, 2004

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	*	20	*	6
13-14	0	0	0	0	0	0
15-24	*	31	0	0	*	22
25-34	*	31	*	20	5	28
35-44	*	15	*	40	*	22
45-54	*	23	0	0	*	17
55-64	0	0	*	20	*	6
>=65	0	0	0	0	*	0
Total	13	100	5	100	18	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in JMR, by sex and exposure category, 2004

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	5	38	a	a	5	28
Injection drug use (IDU)	*	8	0	0	*	6
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	31	*	80	8	44
Mother with/at risk for HIV	0	0	*	20	*	6
Other/unknown	*	23	0	0	*	17
Total	13	100	5	100	18	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR, by race/ethnicity and exposure category, 2004

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	*	60	*	15	0	0	0	0	0	0	0	0	5	28
Injection drug use (IDU)	0	0	*	8	0	0	0	0	0	0	0	0	*	6
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	20	7	54	0	0	0	0	0	0	0	0	8	44
Mother with/at risk for HIV	0	0	*	8	0	0	0	0	0	0	0	0	*	6
Other/unknown	*	20	*	15	0	0	0	0	0	0	0	0	*	17
Total	5	100	13	100	0	0	0	0	0	0	0	0	18	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in JMR, by sex and tuberculosis comorbidity, 2004

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	13	100	5	100	18	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	13	100	5	100	18	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in JMR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	67	a	0	0	a	*	67	a
Black, not Hispanic	*	33	a	0	0	a	*	33	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	0	0	a	*	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	7	11	12	7	13	185
Females	*	*	5	5	5	54
Total	11	14	17	12	18	239

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in JMR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	7	*	5	91
Black, not Hispanic	10	10	6	8	13	140
Hispanic	0	0	*	0	0	7
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	11	14	17	12	18	239

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in JMR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	*	3
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	31
25-34	*	*	7	*	5	90
35-44	5	*	7	8	*	71
45-54	*	5	*	*	*	32
55-64	0	0	*	0	*	6
>=65	0	0	0	0	0	6
Total	11	14	17	12	18	239

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in JMR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	8	*	*	5	109
Injection drug use (IDU)	*	*	*	*	*	36
Male-to-male sex and IDU	0	0	*	*	0	16
Heterosexual contact	*	*	5	5	8	50
Mother with/at risk for HIV	0	0	0	0	*	3
Other/unknown	*	*	*	0	*	25
Total	11	14	17	12	18	239

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in JMR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	6	12	*	6	8	115
Females	*	*	*	*	*	25
Total	8	13	5	9	11	140

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in JMR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	*	*	60
Black, not Hispanic	6	11	*	*	8	76
Hispanic	0	0	*	*	0	3
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	8	13	5	9	11	140

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in JMR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	0	0	*	11
25-34	*	*	0	*	*	47
35-44	*	*	5	6	*	48
45-54	*	*	0	0	*	23
55-64	0	*	0	*	0	6
>=65	0	0	0	0	0	5
Total	8	13	5	9	11	140

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in JMR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	8	0	*	*	71
Injection drug use (IDU)	*	*	*	0	*	20
Male-to-male sex and IDU	0	*	0	*	0	12
Heterosexual contact	*	*	*	5	*	23
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	0	*	14
Total	8	13	5	9	11	140

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR, by year and sex

	2000	2001	2002	2003	2004
Sex	No.	No.	No.	No.	No.
Males	101	108	117	122	132
Females	26	28	33	37	42
Total	127	136	150	159	174

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR, by year and race/ethnicity

	2000	2001	2002	2003	2004
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	43	44	51	55	58
Black, not Hispanic	81	89	92	98	110
Hispanic	*	*	7	6	6
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	127	136	150	159	174

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR, by year and current age

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	*	*	*	*	7
25-34	23	24	27	30	36
35-44	56	58	69	73	76
45-54	28	33	33	35	37
55-64	8	8	8	8	9
>=65	8	8	7	7	6
Total	127	136	150	159	174

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR, by year and exposure category

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	62	67	69	72	75
Injection drug use (IDU)	23	23	25	27	28
Male-to-male sex and IDU	6	6	8	9	9
Heterosexual contact	23	24	29	33	41
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	11	14	17	16	18
Total	127	136	150	159	174

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in JMR, by year of death and sex

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	53
Females	*	*	0	*	0	12
Total	5	5	*	*	*	65

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in JMR, by year of death and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	0	0	*	33
Black, not Hispanic	*	*	*	*	*	30
Hispanic	0	0	0	*	0	1
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	5	5	*	*	*	65

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in JMR, by year of death and age at death

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	0
25-34	*	*	0	0	0	16
35-44	*	*	0	*	*	26
45-54	*	0	*	0	*	16
55-64	*	*	*	0	0	3
>=65	0	0	*	0	*	4
Total	5	5	*	*	*	65

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in JMR, by year of death and exposure category

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	34
Injection drug use (IDU)	*	*	*	0	0	8
Male-to-male sex and IDU	*	0	0	0	0	7
Heterosexual contact	0	*	0	*	0	9
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	0	0	*	*	7
Total	5	5	*	*	*	65

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.